


SCHULMEISTER **M**ETAL **P**RODUCTS

**METAL ROOFING FASTENERS
STAMPING & MACHINING**



**Roofing Clips and Fasteners
Clip Sales**

770-363-6465

Website: www.smpclips.com

Email: smpclips@yahoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

Table Of Contents

Snap Lock Clips Pages 1 - 4

Batten Lock Clips Page 5

Mechanical Lock Clips Pages 6 - 9

Expansion Clips Page 10

Bearing Plates Page 11

Gutter Hangers Page 12

Gutter Outlet Page 13

Fasteners & Rivets Pages 14 - 16

Seamers Page 17

Sealants Pages 18 - 22

Policies Page Page 23

SCHULMEISTER
METAL
PRODUCTS

233 Barr Ave.
Bowdon, GA 30108
Phone: 770-363-6465
Fax: 770-920-6539
smpclips@yahoo.com



MIKE SCHULMEISTER
President-Owner

Any Questions?
Call Mike
Your Roofing
Clip Specialist

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

SNAP LOCK

SMP 1-3/4 SL
SMP 1-5/8 SL





18 ga Steel
18 ga Stainless Steel

**Our Clip Fits the
Following Panels**

1-7/8" Fits Rollformer, Newtech,
Knudson & Englert
Ultra Seam 175
Zimmerman

400 per box

SMP 1-3/4 Ultra Length SL
SMP 1-5/8 Ultra Length SL





18 ga Steel
18 ga Stainless Steel

**Our Clip Fits the
Following Panels**

1-7/8" Fits Rollformer, Newtech,
Knudson & Englert
Ultra Seam 175
Zimmerman

250 per box

SMP 550 HD SL



20 ga Steel

Fits Rollformer, Newtech

300 per box



*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

SNAP LOCK

SMP 1-1/2 HD SL





24 ga Steel

24 ga Stainless Steel

500 per box

SMP 1 HD SL



24 ga Steel

24 ga Stainless Steel

600 per box



*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

SNAP LOCK

SMP 1 SL Quadro





24 ga Steel

24ga Stainless Steel



750 per box

SMP 1-1/2 Q/SL



Steel



Stainless Steel

Our Clip Fits the
following Panels:

Fits Quadro
Englert 1500

500 per box

SMP1-1/2 Q/SL Ultra Length



18 ga Steel

18ga Stainless Steel

Our Clip Fits the
following Panels:

Fits Quadro
Englert 1500

250 per box


*Tell Mike what your panel
machine manufacturer is.*

**Call Mike
Your Roofing Specialist
770-363-6465**

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

SNAP LOCK

SMP 1 1/4 SL





24 ga Steel

24ga Stainless Steel

Our Clip Fits the following Panels:
**Englert 1000, Newtech 450,
& Knudson**

500 per box

SMP 1 1/2 SLZ



24 ga Steel

24ga Stainless Steel

Our Clip Fits the following Panels:
Zimmerman 1" & 1 1/2"
snap lock

600 per box

*Tell Mike what your panel
machine manufacturer is.*

**Call Mike
Your Roofing Specialist
770-363-6465**


smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier
BATTEN CLIPS

The Best Batten Clip you will Ever Use

3/4 EZ Batten Clip

Prefolded for easier
installation

Perfect for radius battens




24 ga Steel

24ga Stainless Steel

850 per box

1 EZ Batten Clip

Prefolded for easier
installation




24 ga Steel

24ga Stainless Steel

700 per box

1-1/2 EZ Batten Clip

Prefolded for easier
installation



24 ga Steel

24ga Stainless Steel

500 per box

*Tell Mike what your panel
machine manufacturer is.*

**Call Mike
Your Roofing Specialist
770-363-6465**


smpclips@yahoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

MECHANICAL LOCK

SMP 1 1/8 ML FIXED



26 ga Steel

26 ga Stainless Steel

24 ga Steel

24 ga Stainless Steel

Fits 1" panels


1000 per box

Fits 1" panels

1000 per box

CHECK OUT OUR:

Custom
Panning
Tools



Page 15


*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

MECHANICAL LOCK

SMP 1 5/8 ML Fixed



26 ga Steel

26 ga Stainless Steel

24 ga Steel

24 ga Stainless Steel

Fits 1 1/2\"/>

1000 per box

*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465


smpclips@yahoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

MECHANICAL LOCK

SMP ML Fixed



Available Heights:
**2", 2 1/8", 2 3/8"
& 2 1/2"**

24ga Steel
22ga Steel


24ga Stainless Steel ---- CALL
22ga Stainless Steel ---- CALL

**2 - 2 1/8 300 per box
2 3/8 - 2 1/2 250 per box**

Our Clip Fits the
following Panels:

Fits Quadro

SMP ML Fixed



Available Heights:
**2", 2 1/8", 2 3/8"
& 2 1/2"**

24ga Steel
22ga Steel


24ga Stainless Steel ---- CALL
22ga Stainless Steel ---- CALL

**2 - 2 1/8 300 per box
2 3/8 - 2 1/2 250 per box**

Our Clip Fits the
following Panels:

Fits Rollformer, NewTech/Ultraseam,
Knudson and Englert

SMP ML Fixed



Available Heights:
**2", 2 1/8", 2 3/8"
& 2 1/2"**

24ga Steel
22ga Steel

24ga Stainless Steel ---- CALL
22ga Stainless Steel ---- CALL

**2 - 2 1/8 300 per box
2 3/8 - 2 1/2 250 per box**

Our Clip Fits the
following Panels:

Fits Zimmerman


*Tell Mike what your panel
machine manufacturer is.*

**Call Mike
Your Roofing Specialist
770-363-6465**

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

MECHANICAL LOCK

SMP ML 3" LONG



***Great clip for eave
and costal usage**

24 ga Steel


24 ga Stainless Steel

Our Clip Fits the
following Panels:

**Fits Zimmerman 1500,
Knudson KR12, KR241P2401
Schlebach, ESE, Ultra Seam
1505, Rollformer**

500 per box

SMP HDML 6 1/4" LONG



***High wind zone usage**

24 ga Steel

24 ga Stainless Steel


Our Clip Fits the
following Panels:

**Fits Zimmerman 1500,
Knudson KR12, KR24, 1P2401
Schlebach, ESE, Ultra Seam
1505, Rollformer**

250 per box

CHECK OUT OUR:

clip screws



Pages 14-15


***Tell Mike what your panel
machine manufacturer is.***

**Call Mike
Your Roofing Specialist
770-363-6465**

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

EXPANSION CLIPS

SMP Slider Clip (Base)



20 ga Steel


18 ga Steel

20 ga Stainless Steel

18 ga Stainless Steel

Assembly Available
call for pricing

400 per box



1 5/8" Expansion Top

26 ga Steel


24 ga Steel

26 ga Stainless Steel

24 ga Stainless Steel

Fits all 1 1/2" panels

400 per box



2", 2 1/8", 2 3/8",
& 2 1/2" Expansion Top

24 ga Steel

22 ga Steel

24 ga Stainless Steel

22 ga Stainless Steel

Fits all 2" panels

400 per box

*Tell Mike what your panel
machine manufacturer is.*

**Call Mike
Your Roofing Specialist
770-363-6465**


smpclips@yahoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

BEARING PLATES


1 Hole Bearing Plate



18 ga 4 x 5

16 ga 4 x 5

2 Hole Bearing Plate



18 ga 4 x 4

18 ga 4 x 5

18 ga 4 x 6

16 ga 4 x 4


16 ga 4 x 5

16 ga 4 x 6

*Please call for more details

Universal Bearing Plate

Fits most hole patterns



20 ga 4 x 6

18 ga 4 x 6

16 ga 4 x 6




*Please call for more details

*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465

sm clips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

New Product:
GUTTER HANGERS H.D.



*Wider, Stronger, Heavy Duty, and Less Expensive.
Offered in 18 Gauge*

Available in:

5"
6"
7"
8"

***Tell Mike what your panel
machine manufacturer is.***

**Call Mike
Your Roofing Specialist
770-363-6465**

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

GUTTER OUTLET



**4" x 5" Seamless
Aluminum & Galvalume
Seamless
Deep Drawn to 3"
Pre-Punched Flange**

***Tell Mike what your panel
machine manufacturer is.***

**Call Mike
Your Roofing Specialist
770-363-6465**

smpclips@yahoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

SMP ECONO ZINC PLATED PANCAKE SCREW - MTW

With low profile pancake head for installing standing seam panels and concealed panel clips into wood substrates. Yellow or silver zinc plating for light corrosion protection. #10-8 Yellow zinc 1" with TP-17 cutpoint and #2 Phillips/#2 square drive.

Packages 250 pcs/bag.



Available Sizes		Qty/Box
#10 x 1"	TP17	5,000
#10 x 1-1/2"	SP	2,500
#10 x 2"	SP	2,000
#12-8 x 1"	SP	4,000
#12-8 x 1-1/2"	SP	2,000
#12-8 x 2"	SP	1,500

SMP

CONCEALED METAL TO WOOD/CLIP FASTENERS

SMP PAN CLIP COATED LONGLIFE DADE PANCAKE SCREW-MTW

#10-9 with low profile pancake head for installing standing seam panels and concealed panel clips into wood substrates. Special 1000 hour tested coating with Dade County approval for corrosion protection. TP-17 cutpoint and #2 Phillips/#2 Square Drive. **Packages 250 pcs/bag.**



Available Sizes		Qty/Box
#10 x 1"	TP17	3,000
#10 x 1-1/2"	TP17	2,500
#10 x 2"	TP17	2,000

Dimension	Pull Out SPF	Pull Out Plywood	Pull Out OSB	DADE #
TDia.:204	1": 665	1/2": 478	7/16": 293	Shear: 1428
HDia.:447	Pine: 952			Tensile: 1981
Pullover>	26GA:778	24GA: 1128	22GA: 1512	Torsional:66 inlbs

**MIAMI-DADE COUNTY
APPROVED**

SMP PANCLIPS 304 STAINLESS STEEL PANCAKE SCREW - MTW

With low profile pancake head for installing standing seam panels and concealed panel clips into wood substrates. Suggested for installation of aluminum panels, stainless steel panel clips and in coastal areas. Full 304 stainless steel fastener, #2 square drive sizes have a Dade County Listing/Approval and 20 year corrosion warranty.

Packages 250 pcs/bag.



Available Sizes		Qty/Box
#10 x 1"	SQ2 SP	3,000
#10 x 1-1/2"	SQ2 SP	2,500
#10 x 1"	PH2 SP	5,000
#10 x 2"	PH2 SP	2,000
#12 x 1-1/4"	T25SP	3,500B
#12 x 2"	T25 TP17	1,500B
#12 x 3"	T25 TP17	1,500B

**MIAMI-DADE COUNTY
APPROVED**

**Call Mike
Your Roofing Specialist
770-363-6465**

*Tell Mike what your panel
machine manufacturer is.*

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

#10-16 SMP TRUGRIP™ HILO TP-17

With Hilo thread and Type 17 cut point and Anti-Pigtail technology to help eliminate installation burrs. Climaseal 1000 hour tested grey/silver coated. Painted fasteners available in with P3 35 year warranty powder coated head paint. Metal to wood applications. 1/4" drive hex washer head.

Packaged 250 pcs/bag.

Pull Over	Pull Out Pine 2" x 4"	Pull Out Steel Gage	Painted Head Warranty 35 Yrs.
26ga: 548	1-1/2": 1358	26ga: 151	Shear: 1200 lbs
24ga: 932	1": 753	24ga: 238	Tensile: 1927 lbs
22ga: 1122		22ga: 291	Torque: 71lbs



Available Sizes	Qty/Box
#10 x 1"	2,500
#10 x 1-1/2"	2,500
#10 x 2"	2,000
#10 x 2-1/2"	1,500
#10 x 3"	1,000
#14 x 1" (5/16H)	2,500
#14 x 1-1/2" (5/16H)	2,000

**SMP PANCLIP-SD ECONO SELF DRILL-
ING PANCAKE SCREW-MTM**


With low profile pancake head for installing standing seam panels and concealed panel clips into steel substrates. Silver zinc plating for light corrosion protection.

Packaged 250 pcs/bag.

SD#1 drills up to 18 gauge steel

SD#3 drills up to 8 gauge steel

SD#5 drills up to 1/2" steel



Available Sizes	Qty/Box
#10 x 1" PSD SD1	5,000
#10 x 1-1/2" SD1	2,500
#10 x 2" PSD SD1	2,000
#12 x 1" PSD SD3	2,500
#12 x 1-1/4" SD3	3,500
#12 x 2" PH2 SD3	1,500
#12 x 3" PH2 SD3	1,000
#12 x 1-1/2" SD5	2,500

SMP 410 STAINLESS SELF DRILLING PANCAKE SCREW - MTM

With low profile pancake head for installing aluminum standing seam panels and concealed panel clips into steel substrates.

Warning 410 stainless steel will rust and corrode.

SD#1 drills up to 18 gauge steel

SD#2 drills up to 16 gauge steel

SD#3 drills up to 8 gauge steel



Available Sizes	Qty/Box
#10 x 1" SQ2 SD2	2,500
#10x1-1/2" SD2	2,000B
#10 x 2" SQ2 SD2	2,000B
#12x1-1/4" T SD3	2,500B
#12 x 2" SQ2 SD3	2,000B
#14 X 1-1/2" SD#1	1,000
#14 X 2" MTHSD#1	1,000
#14 X 3" MTHSD#1	1,000
#14 X 4" MTHSD#1	1,000
#14 X 5" MTHSD#1	1,000
#14 X 6" MTHSD#1	1,000

*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

SMP Painted Rivets 1/8" x #44

RIVETS - FULL 304 STAINLESS STEEL - MTM

#43 Stainless steel rivets with stainless rivet and mandrel. Stainless rivets are compatible with galvanized, galvalume, aluminum, copper, and stainless steel panels. Available painted to match your panel color. Standard #43 stock colors include: Ash Grey, Burnished slate, Caribbean Blue, Cocoa, Brown, Charcoal, Dark Green, Light Stone, Red, Tan, White, Bright White. Stainless steel rivets in stock in mill finish. #43 grip range is .126" to .187", #44 grip range is .188"-.250".

Sold by thousand (1000) pcs.




Custom Panning Tools

Made out of light aluminum

Longer Lengths Available

(Patent Pending)



24"

36"

For Valleys

Panning tool custom made
to fit these panel sizes:

20" Panel

18" Panel

16" Panel

12" Panel

*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465

sm clips@yanoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

ESE K-9 Seamer



- Adjustable height 1" or 1-1/2"
- Double lock or single lock
- Weighs only 40 lbs.
- Double lock seam in only one pass
- Painted or unpainted material
- 30 ft/min

Specifications

Power

Electric Motor 7 Amps
Volts 115 v
Phase..... Single

Maximum Gauge

Steel 24 GA
Aluminum032
Copper 20 oz.

Call For Pricing

Tell Mike what your panel machine manufacturer is.

ESE099 Finish Hand Seamer (Double Lock)



ESE001 Hand Seamer (Single Lock)



Classic (Bronze) Hand Seamer (Single Lock)




Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

PIPE FLASHINGS FOR METAL ROOFING


SMP COMBO PIPE FLASHINGS. New combination design that can be used in the same applications as our standard SMP pipe flashings for metal roofing with one twist. The SMP combo pipe flashings can be cut, wrapped around the penetration and sealed up like a retrofit flashing. The SMP combo pipe flashings save time and money, and allow you to reduce the amount of parts you stock for metal roofing pipe applications. Manufactured in E.P.D.M. rubber construction with a 20 year warranty. Stainless steel metal clamps are available for purchase for resealing in retrofit applications. Temperature range up to constant 212° Fahrenheit. High temp also available. ***#8 High Temp now available in Gray Silicone for temp range up to 450° Fahrenheit**



Size	Fits Pipes	Base	Qty./Box
#3	1/4" - 4"	8"	15
#4	3" - 6"	10"	10
#5	4" - 7"	11"	10
#6	5" - 9"	12"	10
#7	6" - 11"	14"	10
#8	7" - 13"	17"	5
#9	10" - 18"	25 - 3/8"	2
#8	7" - 13" High Temp Gray		5

SMP ROUND RETROFIT FLASHINGS - (Zipperboot)

Designed to water proof electrical conduit, masts, service poles and collared pipe penetrations through metal roofing panels. Feature stainless steel fastening teeth and aluminum fastening ring with grooved sealant holding base. Extra thick E.P.D.M. rubber construction with UPC approval and 20 year warranty. Standard gray to be used on mill finish metal roofing, also available in black. Temperature range up to constant 212° Fahrenheit. Also available in High Temp white up to 450° Fahrenheit.



NOW AVAILABLE IN WHITE HIGH TEMP #802

Size	Fits	Base	Qty./Box
#801	1/4" - 2 3/4"	6 3/10"	10
#802	2" - 7 1/4"	10 3/4"	5
#803	3 1/4" - 10"	14 1/2"	5
#804	9 1/4" - 16 3/4"	30 X 26"	1 SQ
Size	Fits	Base	Qty./Box
#801	1/4" - 2 3/4"	6 3/10"	10
#802	2" - 7 1/4"	10 3/4"	5
#803	3 1/4" - 10"	14 1/2"	5
Size	Fits	Base	Qty./Box
#802	2 - 7 1/4"	10 3/4"	5


SMP HIGH TEMPERATURE PIPE FLASHINGS.

Available in red silicone with a round base to handle temperature spikes of up to 500 degrees F. Used to waterproof roof penetrations in extreme temperature metal roofing panel applications. Extra thick silicone construction with UPC approval and 20 year warranty. Temperature range up to constant 450° Fahrenheit.



Size	Fits Pipes	Base	Qty./Box
#3	1/4" - 4"	8"	15
#4	3" - 6"	10"	10
#5	4" - 7"	11"	10
#6	5" - 9"	12"	10
#7	6" - 11"	14"	10
#8	7" - 13"	17"	5
#9	10" - 18"	25 - 3/8"	5

EXTREME ANGLE PIPE FLASHINGS. Designed for use on extreme pitch metal roofs. Built in 40° angle to make installation on extreme pitch roofs quick and easy. Manufactured in a square base, black E.P.D.M. with a temperature range up to a constant 212° Fahrenheit. Fits pipe sizes 1/4" - 5 3/4" and has a 11" x 11" base. 10/box





Tell Mike what your panel machine manufacturer is.


Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
 Your Personal Roofing Supplier

DEKTITE®



Standard Dektite®



Retrofit Dektite®

PIPE FLASHINGS


PART DESCRIPTION	PIPE SIZE	PART HEIGHT
Mini	1/4"-1-1/8"	1-3/4"
1	1/4"-2"	3"
2	1-3/4"-3-1/4"	4"
3	1/4"-5"	4"
4	3"-6"	5"
5	4"-7"	5"
6	5"-9"	6"
7	6"-11"	6"
8	7"-13"	6"
9	10"-18"	8"
#3 Silicone High-Temp	1/4"-4"	4"
#5 Silicone High-Temp	4"-7"	5"
#8 Silicone High-Temp	7"-13"	6"

Retrofit Dektite®

PART DESCRIPTION	PIPE SIZE	PART HEIGHT
801	3/4"-2-3/4"	3-1/2"
802	2"-7-1/4"	5-3/5"
803	3-1/4"-10"	5-4/5"

DEKTITE is a trademark of ITW Buildex

SMP Butyl Sealant Tape



1" x 3/32" 45' Rolls

Other Sizes Available

Premier elastomeric butyl sealant tape. Ideal for Flashing, Gaskets, Window Glazing, Electrical Insulation and for Industries including Pre-Engineered Metal Buildings, Mobile Homes, Refrigeration And Air Conditioning.



20 Rolls per box

Tell Mike what your panel machine manufacturer is.

Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

SEALANTS

High Quality
Sealants &
Caulking

7108 PERMATHANE™ PREMIUM POLYURETHANE SEALANT

Permthane® SM7108 is a one component, gun-grade, non-sag, moisture-cure polyurethane sealant. This High Performance product is designed with outstanding UV resistance and long term durability with a proven record in tough climates around the world. Permthane is the choice of true professional installers. 7108 Permthane is an excellent repair sealant due to its moisture cure properties. Permthane can be installed underwater or damp areas and achieve 95% of its full bonding capability. Ideal for mill finish and painted metal roofing panels, window installation, gutter installation and repair and much more. Premium antifungal agents and bonding capabilities.

- Accommodates 50% joint movement
- Easy to gun - Easy to tool
- Permanently flexible
- Paintable - non-sticky after cure
- VOC compliant
- Extra strong bonding, that borders on adhesive sealant properties
- Primerless adhesion to construction substrates, including galvanized steel, aluminum, concrete, glass, Galvalume®, Zincalume®, Kynar 500®, wood, vinyl, and fiberglass

Typical Uses:

- Expansion Wall Joints
- Tilt-Wall Joints
- Perimeter Joints around Windows and Doors
- Masonry Expansion Joints
- Flashings
- Gutter Installation and Repair
- Air Conditioning Mounts
- Metal Roofing
- Sealing Damp Areas
- Sealing around Roof and Wall Penetrations
- Bedding Window Mounting Flanges

Standard packaging is 30 (300ml) tubes/cartridges per carton. Available colors include: Almond, Bronze, Gray and White. 20 oz sausages, 5 gallon pails, and 50 gallon drum packaging available (minimums and lead time applies)



ACRYLIC BUTYL CAULK, ACRYL-R™ 5430 NON SKINNING/NON SAG SSR SEALANT

SM5430 Acryl-R® is a non-skinning, non-drying sealant based on a unique elastomer that provides a non-stringy consistency and excellent resistance to severe environmental conditions of heat, cold and moisture. (DO NOT EXPOSE TO SUNLIGHT) It has excellent cut-off characteristics and is not stringy or messy to apply. It has excellent adhesion to GALVALUME®, GALVALUME PLUS®, ACRYLUME®, ZINCALUME®, KYNAR 500®, siliconized and polyvinyl fluoride painted metals. It has excellent webbing characteristics.

Typical Uses:

SM5430 is designed for factory sealing the female lip of a concealed standing seam roof (SSR) rib, as well as wall panels and polyurethane foam panel joints where a positive seal is required in mechanically fixed joints. Specifically formulated for precise application into concealed panel joints for roll forming lines. Excellent for factory sealing standing seam roof panels and end laps. Excellent for sealing between dissimilar metals to prevent electrolysis. Excellent for use as an acoustical sealant. Excellent surface wetting over a wide temperature ranges. Excellent for sealing hidden details in window and door installations; bedding of mounting fins and flashing and sealing end dams and receptor pans.

Standard packaging is 30 (300ml) tubes/cartridges per carton. Color: White

Also available in 50 gallon drum with polyliner. (drums/pallet) (minimums and lead times apply) Color: White.



*Tell Mike what your panel
machine manufacturer is.*

Call Mike
Your Roofing Specialist
770-363-6465

smpclips@yahoo.com

SCHULMEISTER METAL PRODUCTS INC.

Your Personal Roofing Supplier

GEO CELL CAULK

Product Description:

2300° Construction Tripolymer Sealant is a single component, high-performance elastomeric sealant for use in a wide variety of roofing, trim, architectural metal, manufacturing, underdeck system, solar roof system, and general construction applications








RAZORBACK RIDGEVENT

Long life universal ridge vent rolls for metal roofing panels.
Quick and easy installation directly to ridge cap with peel back adhesive.
Standard Razorback will fit most panels with 1/2" to 1 1/4" tall ribs.
Made in the U.S.A. and code approved for use on metal panels.

- Stock one product to match many roof panel configurations
- Designed for any pitch from 2/12 to 20/12
- Pure polyurethane foam with vinyl coating, UV stabilized and fire retardant
- Tested to withstand 110 MPH wind driven rain.
- 40 year limited warranty
- Does not scratch painted metal surfaces
- Dust free material with convenient packaging and easy installation
- Glue strip for easy installation. * Low profile installed appearance
- Florida Building Code Approved FL# 4640-R 1
- Exceeds Dade County requirement of TAS 100A

Available Sizes	Qty/Box
1 1/2" x 2" x 10'	10
1 3/4" x 2" x 10'	10
2" x 2" x 10'	10




RAZORBACK RIDGEVENT FOR STANDING SEAM METAL ROOFING

Long life ridge vent rolls for standing seam metal roofing panels. Quick and easy installation with peel back adhesive. Standard convoluted Razorback Ridgevent will fit most 1" and 1-1/2" tall standing seam panels. For snaplock and mechanical lock panels of 1-3/4" and 2" height MASI offers a non convoluted version of Razorback Ridgevent in solid block form. Made in the U.S.A and code approved for use on metal panels.

Available Sizes

1 1/2" x 2" x 10'
1 3/4" x 2" x 10'
2" x 2" x 10'
2 1/4" x 2" x 10'

Special Installation
Instructions Available
for 1 1/2" through 2"
tall panels.



*Tell Mike what your panel
machine manufacturer is.*

**Call Mike
Your Roofing Specialist
770-363-6465**


smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

TAPE

ROOFING REPAIR TAPE

Designed to provide a watertight and airtight seal. Used to repair damaged or deteriorated roof areas and re-seaming all roof materials. Popular for repairs on metal roofing panels due to its excellent adhesion and no bleed out Tacky Tape adhesive that eliminates streaking coming from the product that you might experience from competing products. Also used for sealing interior and exterior air duct, gutters, awnings, pond liners, wrapping pipe connections to protect against corrosion in tough environments and as a flashing around windows and doors.

The Tacky tape™ adhesive has a long standing reputation as the best on the market for performance, longevity and resistance to fungal attacks. Tacky Tape® is a 100% solids, asbestos-free butyl tape sealant that is a highly rubbery, tacky, reinforced compound. It exhibits excellent application and performance characteristics over a wide temperature range and will not become brittle, crack or flow during service.



MADE IN THE USA



ADVANTAGES:

- Can be installed in damp areas even to clean surfaces underwater to stop or prevent leaks
- Excellent for Galvalume, Zincalume and KYNAR 500
- Adheres to oily Galvalume • Non-staining • Contains a fungicide to protect itself from mildew growth
- Tenacious adhesion to virtually all roof substrates, concrete, asphalt, PVC, E.P.D.M., TPO, metals, and urethane
- Will not corrode Galvalume, Galvalume Plus or KYNAR
- Meets ASTM and Federal standards, AAMA 711-07, AAMA 804(807).3-08, TT-C-1796A Type 11 Class B
- Permanently flexible and allows for joint movement of up to +/- 25%
- Resistant to ultraviolet and infrared radiations, precipitation atmospheric hydrocarbon contamination, extremes in temperature, water, alcohols, and most chemicals.
- Easy to apply by hand, requiring no premixing or dispensing, room temperature application, no heat is required to activate adhesive and provides instant seal.

Currently available in 4" x 25' rolls with white backing 16 rolls/case

Available by special order in 6" wide, 12" wide and other custom widths.

Also available by special order with black HDPE, gloss black TPO, polyester, and foil backing.

Special order minimums and lead times will apply.

*Thank you for viewing our catalog.
We hope to do business with you in the near future.*

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

POLICIES

Payment

We accept Visa and Mastercard, checks & money orders. There may be a delay for checks upon approval of the bank. Your order will be processed only when the check clears the bank. We will also ship on COD.

Returned Checks & Overdue Accounts

There will be a \$30.00 fee on all returned checks. All accounts over due 30 days will be subject to all cost of collection and 1.5% interest per month until paid including reasonable attorney fees.

Delivery

All deliveries are shipped FOB (freight on buyer). If your company uses a certain freight line we will work with you to ship it the way that would be most economical for you.

Returns & Exchanges

All returns must have prior authorization before the return is accepted. Only full cases of product will be accepted. All returns other than defective merchandise will incur a 25% restocking fee.

Damaged & Defective Merchandise

Merchandise that is received damaged or is defective when received by you should be noted as damaged material on freight bill of lading and one of our representatives should be contacted immediately.

Notice

Buyer assumes all responsibility for the application in which they plan to use our merchandise. Schulmeister Metal Products, Inc. assumes no responsibility for damaged material due to improper usage of our products. A professional engineer or architect should always be consulted as to clip spacing.

smpclips@yahoo.com
SCHULMEISTER METAL PRODUCTS INC.
Your Personal Roofing Supplier

CREDIT APPLICATION

COMPANY APPLYING FOR CREDIT

Firm Name: _____
Street Address : _____
City /State/State: _____
Telephone: _____ Fax: _____
Contact Person: _____ Date of establishment _____

BANK REFERENCE:

Bank Name: _____
Address: _____
City/State/Zip: _____
Telephone: _____ Fax: _____
Account Number(s): _____
Contact Person: _____

TWO CREDIT REFERENCES:

A. Name: _____
Address: _____
City/State/Zip: _____
Telephone: _____ Fax: _____
B. Name: _____
Address: _____
City/State/Zip: _____
Telephone: _____ Fax: _____

Billing Address:

Name _____
Address _____
City _____ State ____ Zip ____
Phone _____

Shipping Address:

Name _____
Address _____
City _____ State ____ Zip ____
Phone _____

SCHULMEISTER METAL PRODUCTS

Phone: 770-363-6465

Fax: 770-920-6539

Website: www.smpclips.com

Email: smpclips@yahoo.com

UNIT PRICE	DESCRIPTION	QTY	TOTAL PRICE

Payment☐ CHECK☐ CREDIT CARD**Method:**☐ MONEY ORDER☐ COD

IF YOU ARE PAYING BY CREDIT CARD
please provide the following:

Card Type _____ Exp. Date: _____

Card #: _____

Signature: _____

Sub Total:

Sales Tax:

Shipping & Handling:

Total Price:

SCHULMEISTER METAL PRODUCTS INC.

NOTES

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Call Mike
Your Roofing Specialist
770-363-6465

Your Personal Roofing Supplier





INVENTORY PAGE

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Tell Mike what your panel machine manufacturer is.

Call Mike
Your Roofing Specialist
770-363-6465

*“We are not your competitor,
we are your supplier”*



Four ways to order:

Phone: 770-363-6465

Fax: 770-920-6539

Website: www.smpclips.com

Email: smpclips@yahoo.com